

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A method comprising:
identifying an event associated with an article;
identifying a named entity within the event;
determining a weight to associate with the named entity based at least in part on
frequency of the named entity within a data store; and
creating an implicit search query ~~comprising~~ based at least in part on the named entity
and the associated weight.
2. (Original) The method of claim 1, further comprising determining a list of named entities.
3. (Original) The method of claim 2, wherein identifying the named entity within the event comprises identifying an entity in the event that matches an entity in the list of named entities.
4. (Original) The method of claim 2, wherein determining the list of named entities comprises monitoring instant messaging traffic.
5. (Original) The method of claim 2, wherein determining the list of named entities comprises analyzing an email data store.
6. (Original) The method of claim 2, wherein determining the list of named entities comprises analyzing a directory structure.

7. (Original) The method of claim 2, wherein determining the list of named entities comprises searching a contact list.

8. (Original) The method of claim 2, wherein determining the list of named entities comprises searching a news list.

9. (Original) The method of claim 2, wherein determining the list of named entities comprises part of speech tagging.

10. (Original) The method of claim 1, wherein the named entity comprises one of an email address, an instant messaging name, and a proper noun.

11. (Original) The method of claim 1, further comprising storing the named entity in a user profile.

12. (Currently Amended) The method of claim 1, further comprising identifying a plurality of named entities for a name by using first name only, last name only, ~~middle name only~~, and combinations thereof.

13. (Original) The method of claim 12, further comprising filtering out at least one of the plurality of named entities having a high document frequency (DF).

14. (Cancelled)

15. (Currently Amended) The method of claim 1, further comprising:
receiving a result set associated with the implicit search query; and
outputting the result set.

16. (Original) The method of claim 15, further comprising:

receiving an interest signal associated with the named entity; and
ranking the result set based at least in part on the interest signal.

17. (Cancelled)

18. (Cancelled)

19. (Currently Amended) A method comprising:

receiving an event;

identifying a named entity in the event;

determining a weight to associate with the named entity based at least in part on
frequency of the named entity within a data store;

creating an implicit query based at least in part on the named entity and the associated
weight;

transmitting the implicit query to ~~an index~~ a search engine; and

receiving a result set from the ~~index~~ search engine, the result set comprising one or more
article identifiers; and responsive to an associated score exceeding a threshold,
outputting the one or more article identifiers ~~if an associated score exceeds a~~
~~threshold.~~

20. (Currently Amended) A computer-readable medium on which is encoded program code, the
program code comprising:

program code for identifying an event associated with an article;

program code for identifying a named entity within the event;

program code for determining a weight to associate with the named entity based at least in part on frequency of the named entity within a data store; and
program code for creating an implicit search query comprising based at least in part on the named entity and the associated weight.

21. (Original) The computer-readable medium of claim 20, further comprising program code for determining a list of named entities.

22. (Original) The computer-readable medium of claim 20, wherein program code for identifying the named entity within the event comprises program code for identifying an entity in the event that matches an entity in the list of named entities.

23. (Currently Amended) The computer-readable medium of claim 20, ~~wherein~~ further comprising program code for storing the named entity in a user profile.

24. (Original) The computer-readable medium of claim 21, wherein program code for determining the list of named entities comprises program code for monitoring instant messaging traffic.

25. (Original) The computer-readable medium of claim 21, wherein program code for determining the list of named entities comprises program code for analyzing an email data store.

26. (Original) The computer-readable medium of claim 21, wherein program code for determining the list of named entities comprises program code for analyzing a directory structure.

27. (Original) The computer-readable medium of claim 21, wherein program code for determining the list of named entities comprises program code for searching a contact list.

28. (Original) The computer-readable medium of claim 21, wherein program code for determining the list of named entities comprises program code for searching a news list.

29. (Original) The computer-readable medium of claim 21, wherein program code for determining the list of named entities comprises program code for part of speech tagging.

30. (Original) The computer-readable medium of claim 20, further comprising:

program code for receiving a result set associated with the implicit query; and
program code for outputting the result set.

31. (Original) The computer-readable medium of claim 30, further comprising:

program code for receiving an interest signal associated with the named entity; and
program code for ranking the result set based at least in part on the interest signal.

32. (Currently Amended) The computer-readable medium of claim 31, further comprising program code for identifying a plurality of named entities for a name by using first name only, last name only, ~~middle name only~~, and combinations thereof.

33. (Original) The computer-readable medium of claim 31, further comprising program code for filtering out at least one of the plurality of named entities having a high document frequency (DF).

34. (Cancelled)

35. (Cancelled)

36. (Currently Amended) A computer-readable medium on which is encoded program code, the program code comprising:

program code for receiving an event;

program code for identifying a named entity in the event;

program code for determining a weight to associate with the named entity based at least in part on frequency of the named entity within a data store;

program code for creating an implicit query based at least in part on the named entity and the associated weight;

program code for transmitting the implicit query to ~~an index~~ a search engine; and

program code for receiving a result set from the ~~index~~ search engine, the result set comprising one or more article identifiers; and responsive to an associated score exceeding a threshold level of relevance, outputting the one or more article identifiers ~~if an associated score exceeds a threshold.~~

37. (New) The method of claim 1, wherein frequency comprises an inverse document frequency of the named entity within the data store.

38. (New) The method of claim 1, wherein frequency comprises a term frequency of the named entity within the data store.

39. (New) The method of claim 1, wherein creating an implicit search query based at least in part on the named entity and the associated weight comprises focusing the implicit search query on a named entity with a higher associated weight more than a named entity with a lower associated weight.

40. (New) The computer-readable medium of claim 20, wherein frequency comprises an inverse document frequency of the named entity within the data store.

41. (New) The computer-readable medium of claim 20, wherein frequency comprises a term frequency of the named entity within the data store.

42. (New) The computer-readable medium of claim 20, wherein the program code for creating an implicit search query based at least in part on the named entity and the associated weight comprises program code for focusing the implicit search query on a named entity with a higher associated weight more than a named entity with a lower associated weight.